



ASK AND ACT

A TOBACCO CESSATION PROGRAM

HCPCS, CPT, & ICD-9 Codes Related to Tobacco Cessation Counseling

MEDICARE SMOKING CESSATION BENEFIT

HCPCS codes:

- G0375: Smoking and tobacco-use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes.
- G0376: Smoking and tobacco-use cessation counseling visit; intensive, greater than 10 minutes.

ICD-9 diagnosis codes (All codes with .x or .xx require fourth and fifth digits. See the ICD-9 manual for complete descriptions.):

Report 305.1 Tobacco use disorder

and

related condition or interference with the effectiveness of medications*:

140.x	Malignant neoplasm, lip
141.x	Malignant neoplasm, tongue
143.x	Malignant neoplasm, gum
144.x	Malignant neoplasm, floor of mouth
145.x	Malignant neoplasm, other parts mouth
146.x	Malignant neoplasm, oropharynx
147.x	Malignant neoplasm, nasopharynx
148.x	Malignant neoplasm, hypopharynx
149.x	Malignant neoplasm, other and ill-defined sites within the lip, oral cavity, and pharynx
150.x	Malignant neoplasm, esophagus
151.x	Malignant neoplasm, stomach
157.x	Malignant neoplasm, pancreas
161.x	Malignant neoplasm, larynx
162.x	Malignant neoplasm, trachea, bronchus and lung
180.x	Malignant neoplasm, cervix uteri
188.x	Malignant neoplasm, bladder
189.0	Malignant neoplasm, kidney except pelvis
205.xx	Acute myeloid leukemia
231.x	Carcinoma in situ respiratory system
250.xx	Diabetes mellitus
296.xx	Episodic mood disorders
300.4	Dysthymic disorder
311	Depressive disorder, not elsewhere classified
366.xx	Cataract
401.xx	Essential hypertension
402.xx	Hypertensive heart disease
403.xx	Hypertensive chronic kidney disease
404.xx	Hypertensive chronic heart and kidney disease
405.xx	Secondary hypertension

410.xx	Acute myocardial infarction
411.xx	Other acute and subacute ischemic heart disease
412	Old myocardial infarction
413.x	Angina pectoris
414.0x	Coronary atherosclerosis
415.0	Acute cor pulmonale
415.1x	Pulmonary embolism and infarction
416.x	Chronic pulmonary heart disease
420.xx	Acute pericarditis
421.x	Acute and subacute endocarditis
422.xx	Acute myocarditis
423.x	Other diseases of the pericardium
424.xx	Other diseases of the endocardium
425.x	Cardiomyopathy
426.xx	Conduction disorders
427.xx	Cardiac dysrhythmias
428.xx ¹	Heart failure
429.xx	Other ill-defined heart disease
430	Subarachnoid hemorrhage
431	Intracerebral hemorrhage
432.x	Other and unspecified intracranial bleeding
433.xx	Occlusion and stenosis of precerebral arteries
434.xx	Occlusion of cerebral arteries
435.x	Transient cerebral ischemia
436	Acute, but ill-defined, cerebrovascular disease
437.x	Other and ill-defined cerebrovascular disease
438.xx	Late effects of cerebrovascular disease
440.xx	Atherosclerosis
441.xx	Aortic aneurysm and dissection
442.xx	Other aneurysm
443.xx	Other peripheral vascular disease
444.xx	Arterial embolism and thrombosis
445.xx	Atheroembolism
461.X	Acute sinusitis
462	Acute pharyngitis
463	Acute tonsillitis
464.xx	Acute laryngitis and tracheitis
465.x	Acute upper respiratory infections of multiple or unspecified sites
466.xx	Acute bronchitis and bronchiolitis
472.x	Chronic pharyngitis and nasopharyngitis
473.x	Chronic sinusitis
474.xx	Chronic disease of tonsils and adenoids
476.x	Chronic laryngitis and laryngotracheitis
477.x	Allergic rhinitis
478.xx	Other diseases of upper respiratory tract
480.x	Viral pneumonia
481	Pneumococcal pneumonia
482.xx	Other bacterial pneumonia
483.x	Pneumonia due to other specified organism
484.x	Pneumonia in infectious diseases classified elsewhere
485	Bronchopneumonia, organism unspecified
486	Pneumonia, organism unspecified

^{1 1} If heart failure is due to hypertension, code first 402.0-402.9 with fifth digit 1 or code 404.0-404.9 with fifth digit 1 or 3

487.0	Influenza with pneumonia
490	Bronchitis, not specified as acute or chronic
491.xx	Chronic bronchitis
492.x	Emphysema
493.xx	Asthma
496	Chronic airway obstruction, not elsewhere classified
523.3x	Aggressive and acute periodontitis
523.4x	Chronic periodontitis
531.xx	Gastric ulcer
532.xx	Duodenal ulcer
533.xx	Peptic ulcer
733.xx	Osteoporosis

*This list was formulated based on *the 2004 Surgeon General's Report on the Health Consequences of Smoking*. It is not an all-inclusive list and may be subject to different interpretation of the report.

PRIVATE PAYER SMOKING CESSATION THERAPY BENEFITS

Private payer benefits are subject to specific plan policies. Before providing service, benefit eligibility and payer coding requirements should be verified.

HCPCS/CPT Codes:

- G0375: Smoking and tobacco-use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes. *Short descriptor:* Smoke/Tobacco counseling 3-10;
- G0376: Smoking and tobacco-use cessation counseling visit; intensive, greater than 10 minutes. *Short descriptor:* Smoke/Tobacco counseling greater than 10
- S9075: Smoking Cessation Treatment
- S9453: Smoking Cessation Classes, non-physician provider, per session
- Various Evaluation and Management Services (associated with acute or chronic care). When providing an E/M service, if greater than fifty percent of face-to-face time with patient is spent in counseling, time may be used as a basis for selection of level of service.
- 99381- 99397: Preventive medicine services
- 99401- 99404: Preventive medicine, individual counseling
- 99411- 99412: Preventive medicine, group counseling
- 96150- 96155: Health & Behavior Assessment/Intervention (Non-physician only)
- 99078- Physician educational services in a group setting

ICD-9 diagnosis codes (All codes with .x or .xx require fourth and fifth digits. See the ICD-9 manual for complete descriptions.):

305.1 Tobacco use disorder
and if applicable,
 any diagnosis code(s) for condition(s) evaluated and managed in the same encounter

® CPT is a registered trademark of the American Medical Association.

Current Procedural Terminology (CPT®) is copyright 2005 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in CPT. The AMA assumes no liability for the data contained herein. Applicable FARS/DFARS restrictions apply to government use.